



STATE OF WASHINGTON
DEPARTMENT OF CORRECTIONS
WASHINGTON CORRECTIONS CENTER FOR WOMEN
MS: WP-04 • 9601 Bujacich Road N.W. • Gig Harbor, Washington 98332-8300

January 16, 2022

TO: All Staff
Incarcerated Individuals
Washington Corrections Center for Women

FROM: Paula Chandler, Co-Incident Commander
Casey Carlson, Co-Incident Commander
Washington Corrections Center for Women

SUBJECT: WCCW COVID-19 Facility Wide Outbreak

On May 5, 2021, the Department announced an update to the COVID-19 protocols and shared the definition of a Facility Wide Outbreak. Facilities that experience multiple Limited Area Outbreaks are experiencing a Facility Wide Outbreak. A Limited Area Outbreak, is an outbreak, that is very limited to one area. Meaning only the impacted area would be on outbreak status.

WCCW has had 122 confirmed cases of COVID-19 in the incarcerated population from multiple living units. As a result of these COVID-19 positive cases, WCCW has started testing the entire population.

Following the [Prisons Division Cluster and Outbreak Checklist](#) due to the positive COVID-19 tests and the associated quarantined cases that go with them, we have reached a point in time in which we will have to take additional steps to limit the potential exposure of COVID-19 to the incarcerated population.

Beginning today, WCCW will remain in Restricted Movement status due to COVID-19. This change will impact the incarcerated population's ability to attend regularly scheduled programs, visits, call-outs, and services. A Quarantine Schedule has been created in all areas with the intention of mitigating/preventing possible exposure of COVID-19. All staff and Supervisors will ensure that Covid 19 cleaning protocols are occurring.

These steps are meant to minimize the short and long-term impact that our response will have on our incarcerated population. As we move forward in the coming days you can expect to see cohorting in the dayrooms and shower/bathroom areas, serial testing of our incarcerated population, and an increased awareness to Personal Protective Equipment (PPE) protocols, cleaning, sanitizing, and

WCCW Facility Wide Outbreak

January 16, 2022

Page 2 of 2

disinfecting, and social distancing. It is our hope by taking these measures that we can cut down on the amount of potential exposures and reduce the amount of time it will take to get back to a new normal with our operations.

I ask each and every one of you to be committed to following these standards so we can move past these restrictions as quickly as possible. By working together, I know that we can get past this difficult time and get to a place in which we can all have some relief from the restrictions that this pandemic has brought upon us all.

Thank you all for your cooperation and patience through this difficult time.

PEC:mrj

Attachment(s)

cc: Sarena Davis Union Coordinator
Electronic File

For People Living in Prisons and Jails

Accessible link: <https://www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/living-prisons-jails.html>

Protect yourself from getting sick with COVID-19.

This resource contains recommendations for people in prisons and jails. CDC acknowledges it may be difficult to maintain physical distancing and avoid crowds in these settings.

Living in prisons and jails puts you at higher risk for getting COVID-19 because

- There may not be enough space to keep people with COVID-19 away from others.
- You may be sharing space with someone who has the virus and does not know it, because they do not show symptoms.
- Staff or visitors may have the virus and not know it.

About COVID-19

- Many people who have COVID-19 do not feel sick.
- People who feel sick may experience signs and symptoms that include:
 - » Fever or chills
 - » Cough
 - » Shortness of breath or having a hard time breathing
 - » Feeling tired
 - » Muscle or body aches
 - » Headache
 - » New loss of taste or smell
 - » Sore throat
 - » Congestion (stuffy) or runny nose
 - » Nausea or vomiting
 - » Diarrhea

Take these steps to beat COVID-19



Get a vaccine.



Wear a mask.



Physically distance as much as possible.



Wash your hands.



[cdc.gov/coronavirus](https://www.cdc.gov/coronavirus)

How COVID-19 Spreads

- When a person with COVID-19 breathes, coughs, sneezes, talks, or sings and droplets from their nose or mouth fall on a healthy person, they may spread COVID-19. Keep physical distance and wear a mask.
- COVID-19 may get on your hands if you touch things. Wash your hands often.

People at Risk For COVID-19

- Anyone can get infected.
- If you have any of the health issues below, it is extra important to protect yourself and get a COVID-19 vaccine:
 - » Cancer
 - » Chronic kidney disease
 - » Chronic liver disease
 - » Chronic lung diseases
 - » Dementia or other neurological conditions
 - » Diabetes (type 1 or type 2)
 - » Down syndrome
 - » Heart problems
 - » HIV infection
 - » Immunocompromised state (weakened immune system)
 - » Mental health conditions
 - » Overweight and obesity
 - » Pregnancy
 - » Sickle cell disease or thalassemia
 - » Smoking (current or former)
 - » Solid organ or blood stem cell transplant
 - » Stroke or cerebrovascular disease
 - » Substance use disorders
 - » Tuberculosis
- You are also more likely to get severely ill from COVID-19 if you are
 - » An older adult (50 years and older)
 - » A member of a racial or ethnic minority group
 - » Someone with a disability

Protect Yourself and Others

- Vaccines can help keep you from getting sick, being hospitalized, or dying from COVID-19. Get a vaccine as soon as you can.
- Maintain a physical distance of at least 6 feet (2 arm lengths) from others.
 - » Avoid crowds and try to distance yourself as much as possible, including during these activities:
 - Recreation, especially when inside
 - Mealtime (if in a dining area with people from other units)
 - Walking in hallways
- Wear a mask that covers your nose and mouth, especially when around staff or people from a different housing unit.

- Wash your hands with soap and water for at least 20 seconds. Use a hand sanitizer if soap and water are not immediately available.
 - » After touching your mask
 - » Before touching your face
 - » After coughing, sneezing, or blowing your nose
 - » After using the bathroom
 - » Before eating
 - » Before and after making food
 - » Before taking medicine

Common Spaces

- Go outside for your recreation time if you can.
- Sleep head to foot if there is more than one bed in a room.
- If visitors are allowed, visitors may be screened for COVID-19 and asked to wear a mask.
 - » Visitors may not be able to enter the building if they do not clear the screening process (for example, a temperature check), or if they decline to be screened.

If You Were Near Someone with COVID-19

- You may be tested for the virus even if you do not feel sick.
- You may be sent to an area away from others. This is called quarantine.
 - » Quarantine separates people who were exposed to COVID-19 to see if they become sick.
 - » This room may be a single cell or a large area with others.
 - » Quarantine helps prevent you from getting or spreading the virus to others.

What to Do if You Feel Sick

- Tell a correctional officer or staff member if you feel sick so you can get medical care.
- You may be sent to an area by yourself. This is called medical isolation.
 - » Medical isolation separates people who may have COVID-19 from people who are not sick. This is so you don't get others sick.
 - » This room may be a single cell or a large area with others who are also sick.
 - » Medical isolation is not to punish you.
- You may be tested for COVID-19.
 - » If your test is positive, showing you have COVID-19, you will need to stay in medical isolation for at least 10 days.
 - » If your test is negative, but you were near someone with COVID-19, you may be sent to a quarantine area to see if you develop COVID-19.
 - A negative test result means that you probably did not have COVID-19 at the time of testing or that it was too early in your infection.
 - You could be exposed to COVID-19 after being tested.
 - You may be tested again.

Additional Resources from CDC

Visit CDC's COVID-19 website (www.cdc.gov/coronavirus) for more information on the following topics:

- [COVID-19 Recommendations for Older Adults](#)
- [How COVID-19 Spreads](#)
- [How to Protect Yourself and Others](#)
- [People with Certain Medical Conditions](#)
- [Quarantine and Isolation](#)
- [Symptoms of COVID-19](#)
- [Vaccines for COVID-19](#)
- [When and How to Wash Your Hands](#)
- [Your Guide to Masks](#)

Para las personas que están en prisiones y cárceles

Enlace accesible: <https://espanol.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/living-prisons-jails.html>

Protéjase de enfermarse de COVID-19.

Este material contiene recomendaciones para las personas que están en prisiones y cárceles. Los CDC reconocen que podría ser difícil mantener el distanciamiento físico y evitar las multitudes en estos entornos.

Estar en una prisión o una cárcel lo pone en mayor riesgo de contraer el COVID-19 debido a lo siguiente:

- Tal vez no haya suficiente espacio para mantener a las personas con COVID-19 alejadas de los demás.
- Podría estar compartiendo el espacio con alguien que tiene el virus y no lo sabe, debido a que no tiene síntomas.
- El personal o los visitantes podrían tener el virus y no saberlo.

Acerca del COVID-19

- Muchas personas que tienen el COVID-19 no se sienten enfermas.
- Las personas que se sienten enfermas podrían tener signos y síntomas que incluyen:
 - » Fiebre o escalofríos
 - » Tos
 - » Falta de aire o dificultad para respirar
 - » Cansancio
 - » Dolores en el cuerpo o los músculos
 - » Dolor de cabeza
 - » Pérdida reciente del gusto o del olfato
 - » Dolor de garganta
 - » Congestión nasal o moqueo
 - » Náuseas o vómitos
 - » Diarrea

Tome estas medidas para combatir al COVID-19



Vacúnese



Póngase una mascarilla



Mantenga el distanciamiento físico tanto como sea posible



Lávese las manos



cdc.gov/coronavirus-es

Cómo se propaga el COVID-19

- Cuando una persona con COVID-19 respira, tose, estornuda, habla o canta y las gotitas de su nariz o su boca caen sobre una persona sana, podría propagar el COVID-19. Mantenga el distanciamiento físico y póngase una mascarilla.
- El COVID-19 podría llegar a sus manos al tocar cosas. Lávese las manos con frecuencia.

Personas en riesgo de tener el COVID-19

- Cualquier persona puede infectarse.
- Si usted tiene alguno de los siguientes problemas o estados de salud, es todavía más importante que se proteja y se vacune contra el COVID-19:
 - » Cáncer
 - » Enfermedad de los riñones crónica
 - » Enfermedad del hígado crónica
 - » Enfermedades de los pulmones crónicas
 - » Demencia u otras afecciones neurológicas
 - » Diabetes (tipo 1 o tipo 2)
 - » Síndrome de Down
 - » Problemas cardíacos
 - » Infección por el VIH
 - » Estado inmunodeprimido (sistema inmunitario debilitado)
 - » Afecciones mentales
 - » Sobrepeso y obesidad
 - » Embarazo
 - » Enfermedad de células falciformes o talasemia
 - » Condición de fumador (actual o previa)
 - » Trasplante de órgano sólido o de células madre
 - » Accidente cerebrovascular (derrame) o enfermedades cerebrovasculares
 - » Trastornos por consumo de sustancias
 - » Tuberculosis
- También es más probable que usted se enferme gravemente de COVID-19 en estos casos:
 - » Es un adulto mayor (de 50 años o más)
 - » Pertenece a un grupo de minoría racial o étnica
 - » Tiene una discapacidad

Protéjase y proteja a los demás

- Las vacunas pueden ayudar a evitar que se enferme, sea hospitalizado o muera por el COVID-19. Vacúnese en cuanto pueda.
- Mantenga una distancia física de al menos 6 pies (el largo de 2 brazos) de los demás.
 - » Evite las multitudes y trate de distanciarse tanto como sea posible, incluso durante las siguientes actividades:
 - Durante el tiempo de recreación, especialmente en áreas interiores.
 - Durante las comidas (si está en un comedor con personas de otros pabellones).
 - Cuando camine por los pasillos.
- Póngase una mascarilla que le cubra la nariz y la boca, especialmente cuando esté cerca del personal o de personas de otros pabellones.

- Lávese las manos con agua y jabón por al menos 20 segundos. Use un desinfectante de manos si no hay agua y jabón inmediatamente disponibles.
 - » Después de tocar la mascarilla
 - » Antes de tocarse la cara
 - » Después de toser, estornudar o sonarse la nariz
 - » Después de ir al baño
 - » Antes de comer
 - » Antes y después de preparar alimentos
 - » Antes de tomar medicamentos

Espacios comunes

- Vaya afuera en su tiempo de recreación, si puede.
- Duerma con la cabeza para el lado donde otros tienen los pies, si hay más de una cama en ese espacio.
- Si se permiten visitas, se podría evaluar si tienen síntomas de COVID-19 y pedir que se pongan una mascarilla.
 - » Tal vez los visitantes no puedan entrar al edificio si no son autorizados después del proceso de monitoreo (por ejemplo, un chequeo de temperatura) o si se niegan a que se les haga el monitoreo.

Si usted estuvo cerca de alguien con COVID-19

- Se le podría hacer la prueba del virus aunque no se sienta enfermo.
- Tal vez se lo envíe a un área alejada de los demás. A esto se le llama cuarentena.
 - » En la cuarentena se separa a las personas que estuvieron expuestas al COVID-19 para ver si se enferman.
 - » Este espacio podría ser una celda para una persona o un área grande donde hay otras personas.
 - » La cuarentena ayuda a prevenir que contraiga el virus o lo transmita a los demás.

Qué hacer si se siente enfermo

- Avísele a un oficial o a un miembro del personal del establecimiento penitenciario si se siente enfermo, para que pueda recibir atención médica.
- Tal vez se lo envíe a un área donde estará solo. Esto se llama aislamiento médico.
 - » El aislamiento médico separa a las personas que podrían tener COVID-19 de las personas que no están enfermas. Esto se hace para que usted no enferme a los demás.
 - » Este espacio podría ser una celda para una persona o un área grande donde hay otras personas que también están enfermas.
 - » El aislamiento médico no se usa para castigarlo.
- Es probable que le hagan la prueba del COVID-19.
 - » Si el resultado es positivo y muestra que usted tiene COVID-19, deberá quedarse en aislamiento médico por al menos 10 días.
 - » Si el resultado es negativo, pero estuvo cerca de alguien con COVID-19, tal vez lo manden a un área de cuarentena para ver si presenta COVID-19.
 - Un resultado negativo significa que usted probablemente no tenía COVID-19 cuando le hicieron la prueba o que era muy temprano en la infección.
 - Usted podría estar expuesto al COVID-19 después de que le hagan la prueba.
 - Es probable que le hagan la prueba otra vez.

Recursos adicionales de los CDC

Consulte el sitio web de los CDC sobre el COVID-19 (www.cdc.gov/coronavirus-es) para obtener más información acerca de los siguientes temas:

- [Recomendaciones sobre el COVID-19 para los adultos mayores](#)
- [Cómo se propaga el COVID-19](#)
- [Cómo protegerse y proteger a los demás](#)
- [Personas con ciertas afecciones](#)
- [Cuarentena y aislamiento](#)
- [Síntomas de COVID-19](#)
- [Vacunas contra el COVID-19](#)
- [Cuándo y cómo lavarse las manos](#)
- [Su guía sobre las mascarillas](#)