




STATE OF WASHINGTON  
**DEPARTMENT OF CORRECTIONS**  
P.O. Box 41100 • Olympia, Washington 98504-1100

February 15, 2022

**TO:** All WCC Staff  
All WCC Incarcerated Population

**FROM:** Shawn Brooks, Incident Commander 

**SUBJECT:** WCC COVID-19 Update and FAQ

January 6, 2022, Washington Corrections Center (WCC) was placed on Facility Wide Outbreak status and began testing the entire population. Since then, every living unit has been regularly tested in an orderly fashion. As of February 15, 2022, WCC has had 664 positive COVID-19 cases within the incarcerated population in the past 30 days, of which 111 are active.

We continue to follow the [Prisons Division Cluster and Outbreak Checklist](#) and remain in restricted movement at this time.

As of February 15, 2022, R-3 has been cleared from quarantine status. Overall, the facility is trending in the right direction, with the number of active cases continuing to decline. This has allowed WCC to repurpose some living areas that had previously been reserved for medical isolation. R-6 A/B, C/D is now positioned to accommodate individuals arriving from county jails this week.

Over the next week, every living unit will continue to be administered COVID-19 tests in a systematic fashion, based on an area's identified risk.

Unit statuses are as follows:

- R-1 is on Quarantine Status.
- R-2 A, B, C, D, E, F, and G Tiers are on Quarantine Status. H Tier is cleared.
- R-3 is on Cleared.
- R-4 is on Quarantine Status.
- R-5 A/B tiers are on Quarantine Status. R-5 C/D, E/F, G/H tiers are on Medical Isolation Status.
- R-6 A/B is housing Intake Separation. C/D Tier has a very small number of Individuals on Medical Isolation, but it will also accommodate Intake Separation by the end of the week. R-6 E/F, G/H tiers are on Quarantine Status.
- Evergreen Hall is on Quarantine Status.

***"Working Together for SAFER Communities"***

- Cedar Hall is on Quarantine Status.
- The IMU is on Quarantine Status.
- The RDCF is on Medical Isolation Status.
- G-Unit is on Medical Isolation Status.

It is imperative that everyone continue to wear a surgical mask or appropriate [personal protective equipment \(PPE\)](#). Similarly, it is vital that we continue to follow the [Centers for Disease Control \(CDC\) guidelines](#): ensuring to follow the six (6) foot physical-distancing rule, washing your hands, and keeping high-touch areas of the facility sanitized.

Corrections is committed to everyone's safety. We will continue to communicate with you as we progress through this pandemic.



STATE OF WASHINGTON  
DEPARTMENT OF CORRECTIONS  
WASHINGTON CORRECTIONS CENTER  
P.O. BOX 900. Shelton, Washington. 98584. (360) 426-4433  
Fax (360) 427-4633

**Date:** February 14, 2022

**From:** COVID-19 Incident Command Post  
Washington Corrections Center

**VIA:** CUS Hostetler, Chad  
COVID-19 Documentation Unit Leader

**Subject:** Temporary TVs for Medical Isolation and Quarantine Individuals Memo Addendum

On 2/10/2022 a memo was issued regarding the roll out of televisions for those individuals placed on quarantine and/or isolation status. Due to the physical plant layout of the Washington Corrections Center, televisions will not be available for distribution in WCC-RC Units, (R1-R5).

## COVID-19

Updated Jan. 20, 2022



### Get Vaccinated and stay up to date on your COVID-19 vaccines

- [COVID-19 vaccines](#) are effective at preventing you from getting sick. [COVID-19 vaccines](#) are highly effective at preventing severe illness, hospitalizations, and death.
- Getting vaccinated is the best way to slow the spread of SARS-CoV-2, the virus that causes COVID-19.
- CDC recommends that everyone who is eligible [stay up to date on their COVID-19 vaccines](#), including [people with weakened immune systems](#).



### Wear a mask

- Everyone ages 2 years and older should properly wear a [well-fitting mask](#) indoors in public in areas of [substantial or high community transmission](#), regardless of vaccination status.
  - You might choose to wear a mask regardless of the level of community transmission, if you or someone in your household is at [increased risk for severe disease](#) or has a [weakened immune system](#), or if someone in your household is not [up to date](#) on their COVID-19 vaccines or not eligible to receive COVID-19 vaccines.
- Improve how well your mask [protects](#) you, and learn about how to [choose a mask](#) to protect yourself and others.
- In general, people do not need to wear masks when outdoors. In areas of [substantial or high transmission](#), people might choose to wear a mask outdoors when in sustained [close contact](#) with other people, particularly if
  - They or someone they live with has a [weakened immune system](#) or is at [increased risk for severe disease](#).
  - They are not [up to date](#) on COVID-19 vaccines or live with someone who is not up to date on COVID-19 vaccines.
- People who have a condition or are taking medications that [weaken their immune system](#) may not be fully protected even if they are up to date on their COVID-19 vaccines. They should continue to take all [precautions recommended for unvaccinated people](#), including properly wearing a well-fitted mask, until advised otherwise by their healthcare provider.
  - For more information, see [COVID-19 Vaccines for Moderately or Severely Immunocompromised People](#)

[Wearing a mask over your nose and mouth is required](#) on planes, buses, trains, and other forms of public transportation traveling into, within, or out of the United States and while indoors at U.S. transportation hubs such as airports and stations. Travelers are not required to wear a mask in outdoor areas of a conveyance (like on open deck areas of a ferry or the uncovered top deck of a bus).



## Stay 6 feet away from others

- Inside your home: Avoid close contact with people who are sick, if possible. If possible, maintain 6 feet between the person who is sick and other household members. If you are taking care of someone who is sick, make sure you properly wear a well-fitting mask and follow other steps to protect yourself.
- Indoors in public: If you are not up to date on COVID-19 vaccines, stay at least 6 feet away from other people, especially if you are at higher risk of getting very sick with COVID-19.



## Avoid poorly ventilated spaces and crowds

- If indoors, bring in fresh air by opening windows and doors, if possible.
- If you are at increased risk of getting very sick from COVID-19, avoid crowded places and indoor spaces that do not have fresh air from the outdoors.



## Test to prevent spread to others

- You can choose from many different types of tests.
- Tests for SARS-CoV-2 (the virus that causes COVID-19) tell you if you have an infection at the time of the test. This type of test is called a viral test because it looks for viral infection.
- Regardless of the test type you select, a positive test result means that you have an infection and should isolate and inform your close contacts to avoid spreading disease to others.
- Over-the-counter self-tests are viral tests that can be used at home or anywhere, are easy to use, and produce rapid results. Anyone can use self-tests, regardless of their vaccination status or whether they have symptoms.
- COVID-19 self-tests are one of many risk-reduction measures, along with vaccination, masking, and physical distancing, that protect you and others by reducing the chances of spreading COVID-19.



## Wash your hands often

- Wash your hands often with soap and water for at least 20 seconds especially after you have been in a public place, or after blowing your nose, coughing, or sneezing.
- It's especially important to wash your hands:
  - Before eating or preparing food
  - Before touching your face
  - After using the restroom
  - After leaving a public place
  - After blowing your nose, coughing, or sneezing
  - After handling your mask
  - After changing a diaper
  - After caring for someone sick
  - After touching animals or pets
- If soap and water are not readily available, use a hand sanitizer that contains at least 60% alcohol. Cover all surfaces of your hands and rub them together until they feel dry.
- Avoid touching your eyes, nose, and mouth with unwashed hands.



## Cover coughs and sneezes

- If you are wearing a mask: You can cough or sneeze into your mask. Put on a new, clean mask as soon as possible and wash your hands.
-

**If you are not wearing a mask:**

- **Always cover your mouth and nose with a tissue when you cough or sneeze, or use the inside of your elbow and do not spit.**
  - Throw used tissues in the trash.
  - Immediately **wash your hands** with soap and water for at least 20 seconds. If soap and water are not readily available, clean your hands with a hand sanitizer that contains at least 60% alcohol.



## Clean and disinfect

- Clean high touch surfaces regularly or as needed and after you have visitors in your home. This includes tables, doorknobs, light switches, countertops, handles, desks, phones, keyboards, toilets, faucets, and sinks.
- If someone is sick or has tested positive for COVID-19, disinfect frequently touched surfaces.
  - Use a household disinfectant product from EPA's [List N: Disinfectants for Coronavirus \(COVID-19\)](#) according to manufacturer's labeled directions.
  - If surfaces are dirty, clean them using detergent or soap and water prior to disinfection.



## Monitor your health daily

- Be alert for symptoms:
  - Watch for fever, cough, shortness of breath, or [other symptoms of COVID-19](#).
  - Take your temperature if symptoms develop.
  - Don't take your temperature within 30 minutes of exercising or after taking medications that could lower your temperature, like acetaminophen.
  - Follow [CDC guidance](#) if symptoms develop.
- Monitoring symptoms is especially important if you are running errands, going into the office or workplace, and in settings where it may be difficult to keep a physical distance of 6 feet.



## Follow recommendations for quarantine

- If you come into [close contact](#) with someone with COVID-19: follow CDC's [recommendations for quarantine](#).



## Follow recommendations for isolation

- If you [test positive](#) for COVID-19 or have symptoms: follow CDC's [recommendations for isolation](#).



## Take precautions when you travel

- Follow CDC's [recommendations for domestic and international travel](#).

## COVID-19

*Descargo de responsabilidad: Este sitio web se actualiza con frecuencia. Parte de su contenido puede estar disponible en inglés hasta que se haya traducido todo el contenido.*

# Cómo protegerse y proteger a los demás

Actualizado el 20 de ene. del 2022



## Vacúnese y manténgase al día con las vacunas contra el COVID-19

- Las vacunas contra el COVID-19 son efectivas para evitar enfermarse. Las vacunas contra el COVID-19 son altamente efectivas para evitar enfermarse gravemente, ser hospitalizado y morir.
- Vacunarse es la mejor forma de desacelerar la propagación del SARS-CoV-2, el virus que causa el COVID-19.
- Los CDC recomiendan que todas las personas elegibles estén al día con las vacunas contra el COVID-19, incluidas las personas con el sistema inmunitario debilitado.



## Use mascarilla

- Todas las personas de 2 años de edad o más deberían usar correctamente una mascarilla bien ajustada en espacios cerrados en áreas de transmisión sustancial o alta en la comunidad, más allá de que estén vacunadas o no.
  - Puede optar por usar mascarilla más allá del nivel de transmisión en la comunidad, si usted o algún miembro de su hogar tiene un mayor riesgo de enfermarse gravemente o tiene el sistema inmunitario debilitado, o si alguien en su hogar no está al día con las vacunas contra el COVID-19 o no es elegible para recibir las vacunas contra el COVID-19.
- Mejore el nivel de protección que le ofrece su mascarilla, y sepa cómo elegir una mascarilla para protegerse y proteger a los demás.
- En términos generales, no es necesario el uso de mascarillas al aire libre. En áreas de transmisión sustancial o alta, las personas podrían optar por usar una mascarilla al aire libre cuando tienen contacto cercano sostenido con otras personas, especialmente si:
  - Dichas personas o algún conviviente tienen el sistema inmunitario debilitado o corren mayor riesgo de enfermarse gravemente.
  - No están al día con las vacunas contra el COVID-19 o viven con alguien que no está al día con las vacunas contra el COVID-19.
- Las personas que tienen alguna afección o que toman medicamentos que debilitan el sistema inmunitario posiblemente no estén totalmente protegidas, incluso si están al día con las vacunas contra el COVID-19. Deberían seguir tomando todas las precauciones recomendadas para las personas no vacunadas, como el uso adecuado de una mascarilla bien ajustada, hasta que su proveedor de atención médica les indique lo contrario.
  - Para obtener más información, consulte Vacunas contra el COVID-19 para personas con compromiso inmunitario moderado o grave

El uso de una mascarilla que cubra su boca y su nariz es obligatorio en aviones, autobuses, trenes y otros medios de transporte público que viajan hacia, dentro de o fuera de los Estados Unidos y en centros de transporte cerrados como aeropuertos y estaciones de los Estados Unidos. No es obligatorio que los viajeros usen mascarilla en zonas abiertas del medio de transporte (como áreas de cubierta al aire libre en un ferry o el segundo piso de un autobús sin techo).





## Mantenga una distancia de 6 pies de los demás

- Dentro de su casa: evite tener contacto cercano con personas que están enfermas, si es posible. De ser posible, mantenga una distancia de 6 pies entre la persona enferma y otros miembros de su hogar. Si se encarga de los cuidados de una persona enferma, asegúrese de usar de manera adecuada una [mascarilla bien ajustada](#) y tomar otras medidas para protegerse.
- Espacios cerrados en público: si no está [al día con las vacunas contra el COVID-19](#), manténgase a una distancia de al menos 6 pies de otras personas, especialmente si tiene [mayor riesgo de enfermarse gravemente](#) a causa del COVID-19.



## Evite las multitudes y los espacios con poca ventilación

- Si está en un espacio cerrado, [procure incorporar aire desde el exterior](#) al abrir puertas y ventanas siempre que sea posible.
- Si tiene [mayor riesgo de enfermarse gravemente](#) a causa del COVID-19, evite las aglomeraciones y los espacios cerrados donde no hay circulación de aire fresco del exterior.



## Hágase una prueba para prevenir la propagación

- Puede elegir entre diferentes [tipos de pruebas](#).
- Las pruebas de detección del SARS-CoV-2 (el virus que causa el COVID-19) le indican [si está infectado](#) al momento de la prueba. Este tipo de prueba se conoce como [prueba viral](#) porque pretende detectar una infección viral.
- Más allá del tipo de prueba que elija, un [resultado positivo en la prueba de detección](#) significa que está infectado y debería [aislarse](#) e informar a sus [contactos cercanos](#) para evitar contagiar a otras personas.
- Las [autopruebas sin receta médica](#) son pruebas virales que puede realizarse en su casa o en cualquier otro lado, son fáciles de usar y sus resultados son rápidos. Cualquier persona puede hacerse una autoprueba, más allá de que esté vacunada o no, tenga o no síntomas.
- Las [autopruebas de detección del COVID-19](#) son una de las varias medidas de reducción de riesgos, junto con la vacunación, el uso de mascarillas y el distanciamiento físico, que lo protegen y protegen a otras personas porque reducen las probabilidades de propagación del COVID-19.



## Lávese las manos con frecuencia

- [Lávese las manos](#) con frecuencia con agua y jabón por al menos 20 segundos, especialmente después de haber estado en un lugar público, o después de sonarse la nariz, toser o estornudar.
- Es de suma importancia lavarse las manos:
  - Antes de comer o preparar la comida
  - Antes de tocarse la cara
  - Después de ir al baño
  - Después de salir de lugares públicos
  - Después de sonarse la nariz, toser o estornudar
  - Después de manipular su mascarilla
  - Después de cambiar pañales
  - Después de cuidar a una persona enferma
  - Después de tocar animales o mascotas
- Si no dispone de agua y jabón, use un [desinfectante de manos que contenga al menos un 60 % de alcohol](#). Cubra toda la superficie de las manos y frótelas hasta que las sienta secas.
- Evite tocarse los ojos, la nariz y la boca sin antes lavarse las manos.



## Cúbrase la nariz y la boca al toser y estornudar

- Si tiene una mascarilla puesta: puede toser o estornudar en su mascarilla. Colóquese una mascarilla nueva y limpia lo antes posible y lávese las manos.
- Si no tiene puesta una mascarilla:
  - Siempre cúbrase la boca y la nariz con un pañuelo desechable al toser o estornudar, o hágalo en la parte interna del codo y no escupa.
  - Bote los pañuelos desechables usados a la basura.
  - Lávese las manos inmediatamente con agua y jabón por al menos 20 segundos. Si no dispone de agua y jabón, límpiese las manos con un desinfectante de manos que contenga al menos un 60 % de alcohol.



## Limpie y desinfecte

- Limpie las superficies de alto contacto de manera regular o según sea necesario y después de recibir visitas en su casa. Esto incluye las mesas, las manijas de las puertas, los interruptores de luz, los mesones, las barandas, los escritorios, los teléfonos, los teclados, los inodoros, los grifos, los lavamanos y los lavaplatos.
- Si hay una persona enferma o tiene un resultado positivo en la prueba de detección del COVID-19, desinfecte las superficies que se tocan con frecuencia.
  - Use un producto desinfectante de uso doméstico de la Lista N de la EPA: Desinfectantes para coronavirus (COVID-19) [☑](#) siguiendo las instrucciones del fabricante que figuran en la etiqueta.
  - Si las superficies están sucias, límpielas con detergente o agua y jabón antes de desinfectarlas.



## Monitoree su salud todos los días

- Esté atento a la aparición de síntomas:
  - Esté atento a la aparición de fiebre, tos, dificultad para respirar u otros síntomas del COVID-19.
  - Controle su temperatura si presenta síntomas.
  - No controle su temperatura dentro de los 30 minutos posteriores a ejercitarse o después de tomar medicamentos que podrían reducir su temperatura, como el acetaminofeno.
  - Siga la guía de los CDC si presenta síntomas.
- Controlar su salud para detectar síntomas es particularmente importante si debe hacer trámites, ir a la oficina o a su lugar de trabajo, y en entornos donde puede ser difícil mantener una distancia física de 6 pies.



## Siga las recomendaciones para la cuarentena

- Si tiene contacto cercano con una persona con COVID-19: siga las recomendaciones de los CDC para la cuarentena.



## Siga las recomendaciones para el aislamiento

- Si da positivo en la prueba de detección del COVID-19 o presenta síntomas: siga las recomendaciones de los CDC para el aislamiento.



## Tome precauciones cuando viaja

- Siga las recomendaciones de los CDC para viajes nacionales e internacionales.